

COVID-19 ALERT

September 23, 2020

Testing for Influenza is now mandated by the DOH when testing for COVID-19 in Hospitalized and ED Patients with a history of Viral Respiratory Symptoms¹ or a Known Exposure²

All Patients presenting to the ED or in the hospital that have viral respiratory infection symptoms¹ as determined by the provider must be tested for <u>BOTH</u> COVID-19 and Influenza if not previously tested during the stay.

All Patients presenting to the ED or in the hospital with reported EXPOSURE² to either COVID-19 or Influenza must be tested for <u>BOTH</u> COVID-19 and Influenza.

Any patient that dies in route to the hospital or in the hospital with suspected COVID-19 or Influenza that has not been tested in the preceding 14 days must be tested for both diseases <u>IF</u> NEXT OF KIN CONSENT is obtained.

Combined testing rules <u>DO NOT</u> apply to patients undergoing screening for procedures or screening for discharge to other facilities.

Combined testing rules **DO NOT** apply to Associate Health testing outside of ED.

Please refer to Policy IC 124 in M-files for additional details.

- Respiratory Virus infection symptoms include new cough, new onset dyspnea, sore throat, nasal congestion, pleuritic pain, fever (subjective or as defined by temperature ≥100 F), shaking chills, loss of taste or smell, and unexplained muscle aches. In most instances, respiratory virus infections will be accompanied by more than one of the above symptoms.
- 2. **Exposure** as defined by CDC: 15 minutes or more contact within 6 feet of a person with active COVID-19 without PPE.